





# X-Lite 使用說明

## X-Lite 安裝和設定步驟


<p>1. 請在網路上下載 X-Lite v3.0 for Windows 下載網址如下：<a href="#">下載</a></p>	 <p>The screenshot shows the CounterPath X-Lite website. The main heading is "X-Lite The world's favorite free softphone." Below this, there are navigation tabs: Overview, Features, Requirements, X-Lite Download, and Resources. Under the "X-Lite Download" tab, there are two sections: "Download X-Lite" and "NEW! Download X-Lite 4.0 BETA". The "Download X-Lite" section lists three options: "Download X-Lite 3.0 for Windows", "Download X-Lite 3.0 for Mac", and "Download X-Lite 2.0 for Linux". The "NEW! Download X-Lite 4.0 BETA" section lists "Download X-Lite 4.0 Beta for Windows" and "Download X-Lite 4.0 Beta for Mac".</p>
<p>2. 點選 Windows 版本下載</p>	 <p>The screenshot shows a "Download X-Lite" page. The main heading is "Download X-Lite". Below this, it says "Download X-Lite 3.0 - the leading free SIP based softphone." There are three download links: "Download X-Lite 3.0 for Windows", "Download X-Lite 3.0 for Mac", and "Download X-Lite 2.0 for Linux". The "Download X-Lite 3.0 for Windows" link is highlighted with a red box and a mouse cursor is pointing at it.</p>
<p>3. 若出現安全性警告，請依照左圖操作。</p>	 <p>The screenshot shows an Internet Explorer browser window displaying a security warning. The address bar shows "http://xlite.counterpath.com/download/X-Lite_Win32.html". Below the address bar, there is a blue bar with the text: "為了協助保護您的資訊安全性，Internet Explorer 已封鎖這個網站下載檔案到您的電腦。其他選項請按這裡...". Below this bar, there is a link "If your download doesn't begin automatically, please click here." and a "下載檔案(D)..." button. A red box highlights the "下載檔案(D)..." button. A speech bubble points to the link with the text "先點這裡". Another speech bubble points to the "下載檔案(D)..." button with the text "再點這裡".</p>
<p>4. 檔案下載完成後，直接執行安裝。 Vista 用戶請在下载的檔案點選滑鼠右鍵，選擇『以</p>	 <p>The screenshot shows a file explorer window displaying a file named "X-Lite Win32 2_1103k_536 21". A context menu is open over the file, showing options: "開啟(O)", "以系統管理員身分執行(A)", and "掃描(S) X-Lite_Win32_1103k_53621.exe". The "以系統管理員身分執行(A)" option is highlighted with a red box.</p>

系統管理員身分執行」。

5. 若螢幕出現「安全性警告」、請按下「執行」按鈕。




6. 按下「Next」按鈕




7. 點選「I accepted the agreement」選項、點選完畢之後、按下「Next」按鈕。




8. 按下「Next」按鈕



9. 按下「是 (Y)」按鈕



10. 按下「Next」按鈕





14. 分別輸入網路電話號碼和密碼，如左圖。Domain 請輸入 sip.tn.edu.tw
15. 完成後按下「確定」按鈕

Properties of Account 1

Account Voicemail Topology Presence Advanced

User Details

Display Name: 64096 輸入網路電號碼

User name: 64096 輸入網路電號碼

Password: ..... 輸入號碼的密碼

Authorization user name: 64096 輸入網路電號碼

Domain: sip.tn.edu.tw 輸入 sip. tn. edu. tw

Domain Proxy

Register with domain and receive incoming calls

Send outbound via:

domain

proxy Address: \_\_\_\_\_

Dialing plan: #1|a|a.T;match=1;prestrip=2;

確定 取消 套用(A)

16. 按下「Close」按鈕

SIP Accounts

Enabled	Acct #	Domain	Username	Display Name
<input checked="" type="checkbox"/>	1	sip.tn.edu.tw (default)	64096	64096
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				

Add...  
Remove  
Properties...  
Make Default

Close

17. 補充說明：  
若要更改帳號密碼，請在軟體上『點選滑鼠右鍵』，選擇「SIP Account Settings...」



## X-Lite 面版按鈕說明



## X-Lite 撥號操作方式

1. 當軟體設定完成後，在軟體上會看到『Ready Your username is XXXX』，表示帳號已註冊成功，可以進行撥號。



2. 在軟體上按下要撥號的號碼，然後按下畫面中綠色的『通話按鈕』。



3. 撥號中，畫面會出現 Ringing..



4. 當對方接起電話後，即可以開始通話，畫面上會出現 Call established 和通話時間。



5. 掛斷電話只需按下紅色的『結束掛斷按鈕』即可。

